

# CARRAROSPRAY®

by **O.C.L.L.**

## DELTA FORCE *Line*

by CARRAROSPRAY

IRRIGATORI  
SPRAYS  
PULVERISATEURS



**GC800-BD120**



**GC600**



**G120C**



3 PT HITCH MOUNTED SPRAYER DELTA FORCE





## 3PT MOUNTED SPRAYER

*New*



### Where it can be used

- Ideal for small and medium size orchards and vineyards, open field crops with mechanical and hydraulic boom, localized treatment with handgun and hose reel.



GC200-BDS60



GC200



### What it is meant for

- application of pesticides to protect plants and agricultural crops.



GC200-BB50



### General features

- hot galvanized steel frame;
- tank made of reinforced polyethylene with gauge;
- outlet system with external ECOLOGY valve;
- clean water tank for hand washing (optional);
- quick washing circuit of chemical residues;
- suction filter;
- diaphragm pump;
- pressure regulator valve;
- batch filters for easy maintenance (optional);
- jet agitation (optional);
- filter in the cover for 1<sup>st</sup> filtering;
- automatic mixer for powered products (optional).

# Accessories



**GC600-BD120**



Suction filter with shut-off valve and 3 ways valve for quick washing circuit for chemical residus




Pressure regulator valve at 3 ways 5-20 bar




Pressure regulator valve at 3 ways 0-10 bar

## Safety

- complies with la test CE regulations;
- easy to understand operators manual;
- anti polluting tank filler with hose and strainer;
- automatic mixer on tank basket for powdered products;
- clean water tank for handwashing;
- safety valves;
- quick washing circuit for cleaning;
- safety sheilding for mechanical parts.



12 Volts electric remote control mod. ARAG



Pressure regulator valve at 6 ways, with electric general ON/OFF valve and switch box




Spraygun



Hose reel



Fresh water tank for cleaning of chemical residus



Automatic mixer on tank basket for powdered product



Clean water tank for hand washing



# BD

## 8-10-12 m

### MECHANICAL SPRAYING BOOM WITH REAR CLOSING



#### General features

- Hot galvanized steel frame;
- Manifold in stainless steel;
- PVC nozzles with anti-drip device;
- Connecting hoses for sprayer;
- Connecting rod trapezoid pendulum;
- Height adjustment by manual rope.



#### Low maintenance cost

- state-of-the-art design and construction thanks to the long experience in worldwide markets;
- the mechanical parts in contacts with chemicals and atmosphere have been treated to avoid possible corrosion.



#### Why carrarospray is the right choice

- modern and attractive design;
- compact profiles;
- smooth lines are gentle to plants in confined rows;
- easy to transport;
- rugged construction for severe conditions and rounded tank for easy cleaning;
- high quality materials;
- company with quality system certified in accordance with UNI EN ISO 9001:2008;
- competitive price.


# BD-S

## 4-6 m


### MECHANICAL SPRAYING BOOM WITH REAR CLOSING



Nozzle with diaphragm antidrip device



Nozzle with quick fitting and diaphragm antidrip device



Triple nozzle mod. Tri-jet



Fan tips



Albuz tips





## Carrarospray features

- reinforced steel frame: frame is protected from damage;
- hot galvanized steel frame: total absence of rust;
- polyethylene tank, reinforced: better resistance to stress, vibrations and bumps;
- rounded tank design: easy to clean, good maneuverability and easy to operation narrow and low spaces without damaging crop;
- tank designed to facilitate complete emptying: total suction of the spray material even on inclined terrain - saves money on chemicals;
- clean water tank for hands washing: in accordance with CE rules, total absence of chemicals in water for hand washing;
- fresh water tank for cleaning the spraying system: easy washing of residue from the reservoir, spraying tubing and nozzles at the end of every treatment;
- extra cock valve: useful for lance or other optional attachments;
- jet agitation: uniform mixture of the product;
- modern design: attractive lines and profile; easy to transport;
- highly visible safety stickers: reduced risk of accidents for the operator;
- antidrip nozzles: pressure operated diaphragm check valve in each nozzle avoids leaking chemicals on the soil and saves money and the environment;
- electric remote control kit: allows remote control of spray system even on tractors with a pressurized cab (optional);
- automatic mixer on chemical filling and filter basket: reduces operator contact with the chemical products (optional).




**GC400-BD100**

# BB 200-260


6-8-10-12 m

HYDRAULIC IN ROW BERM BOOM



## General features

- painted anticorrosion steel frame;
- painted anticorrosion steel support;
- easy height system for checking of the nozzles;
- telescopic support;
- sturdy wind shield with brooms for localized treatments to limit the derive of the mixture;
- 2 nozzles with diaphragm anti-drip, filter and fan tips 03/110°;
- 1 piston for arm inclination adjustment (RE. 2);
- manual by levers or electric by switch box oil distributor;
- tuyaux hydraulique pour oil cylinders with quick fittings.



**In-row boom mod. BB 200-260**



## Versatility


- compact shape for maneuverability and operates in narrow and low vineyard and orchards;
- various capacity tanks;
- rounded tank design do not damage crops;
- various capacity pumps low pressure pumps for open fields crops;
- use of handgun with hose reel;
- nozzles with anti-drip system, filter and calibrated tips for both high, medium and low volume spraying;
- remote control with manual or electric system adjustable from the tractor seat (ideal for tractors provided with cabs);
- pressure gauge directly visible from the tractor driver's cab;
- connecting rod trapezoid pendulum (optional).






**MOD.600 - MOD.700 - MOD.800**

Fan group for trailed air blast sprayer



**BV 4+4**

Spray boom vineyard



**BB200-260**

Spray boom in-row with a anti drip brush



**6 in 1 SPRAYER**



**BI**

Spray boom in-row



**BB50**

Spray boom in-row with a anti drip brush



**BD**

Spray boom mechanical

# G120 C

## 120 liters



### Where it can be used

- application of plant and crop protection products and pesticides.



### What it is meant for

- ideal for agriculture and localised treatment of garden, garden, paddy-fields, greenhouses, vegetable, cotton, tobacco, orchards, vineyards;
- disinfection of building like warehouses, stables, public or private rooms and tropical cultivations of small and medium size.



### General features

- frame made of painted steel;
- polyethylene tank of 120 liters with volume level gauge;
- emptying with drain plug;
- diaphragm pump with pressure regulator valve 3 ways;
- 12 volts electric pump with switch box on/off;
- suction filter;
- cardan shaft;
- handgun with 10 m hose;
- packing with carton.

Herbicide handgun  
0800403



Hose reel 50 m



ETBIOS



### Versatility

- compact shape for maneuverability and operate in narrow and low vineyard;
- rugged construction for severe conditions and rounded tank for easy cleaning;
- various capacity pumps and high pressure pump for localised treatments;
- various application with handgun and hose reel for orchard, vineyard and long trunked plant, or with spraying boom for gardens and golf course;
- various sprayguns models with adjustable nozzles.



### Why carrarospray is the right choice

- modern and attractive design;
- compact lines;
- smooth lines are gentle to plants in confined rows;
- high quality materials;
- quality system certified in accordance with UNI EN ISO 9001:2000;
- competitive price.



### Easy of use

- easy to operate;
- easily accessible controls;
- chart for calibrating spraying rates.



### Low maintenance cost

- designed and manufactured with state-of-the art technology thanks to years of experience in world markets;
- special treatment of the mechanical parts in contact with chemical and atmospheric agents.




### Safety

- complies with latest CE regulations;
- safety valves;
- safety shielding for mechanical parts.

**In-row spraying boom with connecting hose to the sprayer 2+2 nozzles ETB05S, ETB10S nozzles 3+3, ETB15S nozzles 4+4.**



## Technical Data



	l	U.S. gall	HP	A		B		C	
				mm	inch	mm	inch	mm	inch
GC 200	200	53	18 - 20	1000	38.9	590	23.2	1160	45.6
GC 400	400	106	30 - 35	1100	48	900	35.4	1170	46.0
GC 600	600	159	40 - 45	1100	48	900	35.4	1390	54.7
GC 800	800	200	45 - 50	1500	59	970	38.2	1400	55.1
GC 1000	1000	265	50 - 55	1500	59	970	38.2	1570	61.8




## Hose reel

m  
50  
100




## Mechanical folding boom

	A		B		C		Kg	mt	ft	n° getti
	mm	inch	mm	inch	mm	inch				
BD-S40	2000	78.7	200	7.9	500	19.7	25	4	14	8
BD-S60	2000	78.7	200	7.9	500	19.7	30	6	20	12
BD80	2000	78.7	200	7.9	500	19.7	36	8	26	16
BD100	2000	78.7	200	7.9	500	19.7	40	10	33	20
BD120	2000	78.7	250	9.8	600	23.6	50	12	40	24



## G120C



	mm	inch
A	1050	41.3
B	740	29.1
C	850	33.5
lt	200	
Usg	50	
Kg	80	